



बिड संख्या/Bid Number: GEM/2026/B/7458650

दिनांक /Dated: 20-04-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-04-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-04-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Civil Aviation
विभाग का नाम/Department Name	Ai Engineering Services Limited
संगठन का नाम/Organisation Name	Ai Engineering Services Limited
कार्यालय का नाम/Office Name	Ai Engineering Services Limited

बिड विवरण/Bid Details

<p>वस्तु श्रेणी /Item Category</p>	<p>Calibration Services - Mechanical, Electrical, Calibration of Electrical Wire Rope Hoist, Swift Make, Qty 06, 1 Ton each, CALIBRATION SERVICE REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS; Functional Test/Load Test / Proof Load / Calibration of Lifting Mec.. , Calibration Services - Mechanical, Calibration of Horizontal AIR RECEIVERS elgi make QTY 04 of 250 Ltrs, CALIBRATION SERVICE REQUIRED ONCE IN 6 MONTHS FOR 2 YEARS; Pressure , Hydrostatic Test and Ultrasonic Thickness Measurement; NABL Labs, Any other.. , Calibration Services - Mechanical, Calibration of Vertical air receiver, elgi make QTY 01 of 1000 Ltrs and Qty 01 of 5000 Ltrs, Qty 01 OF 500 ltrs CALIBRATION SERVICES REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS; Hydrostatic test, Ultrasonic Thickness Me.. , Calibration Services - Mechanical, Electrical, Calibration of Fall Arrester PP Rope Qty 15 CALIBRATION SERVICE REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS; Functional Test / Load Test / Visual & Dimensional Check; NABL Labs, Any other Government Approved.. , Calibration Services - Calibration of Double Lanyard full body Harness PPE Qty 17 Protecta Make, CALIBRATION SERVICE REQUIRED ONCE IN 6 MONTHS FOR 2 YEARS; Functional / Static Load / Visual & Dimensional Check; NABL Labs, Any other Government Approve.. , Calibration Services - Calibration of SAFETY VALVES, CALIBRATION SERVICES REQUIRED ONCE IN 6 MONTHS FOR A PERIOD OF 2 YEARS; Visual inspection of belt/Functional check/Load testing/Compliance with applicable IS/EN/ANSI standards; NABL Labs, Any other.. , Calibration Services - Mechanical, Calibration of Air Receivers Hydro Test QTY 06 (Once in Two Years); Visual inspection/Functional check/Load testing/Compliance with applicable IS/EN/ANSI standards; NABL Labs, Any other Government Approved Labs / S.. , Calibration Services - Mechanical, Calibration of EOT Crane 7 1/2 Ton Hoist Qty 02 CALIBRATION SERVICE REQUIRED ONCE IN Year; Functional, Mechanical & Load Test Calibration, Static/Dynamic Load Test; NABL Labs, Any other Government Approved Labs / S.. , Calibration Services - Mechanical, Calibration of EOT Crane 5 Ton Hoist Qty 01 Calibration service required once in year; Functional, Mechanical & Load Test Calibration, Static/Dynamic Load Test; NABL Labs, Any other Government Approved Labs / Servic..</p>
<p>अनुबंध अवधि /Contract Period</p>	<p>2 Year(s) 1 Day(s)</p>
<p>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</p>	<p>3 Year (s)</p>
<p>इसी तरह की सेवाओं का पिछला आवश्यक अनुभव है/Past Experience of Similar Services required</p>	<p>Yes</p>
<p>टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover</p>	<p>Yes Complete</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</p>	<p>No</p>

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Single Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	4 Days
अनुमानित बिड मूल्य / Estimated Bid Value	106500
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मूल्य दर्शाने वाला वित्तीय दस्तावेज ब्रेकअप आवश्यक है / Financial Document Indicating Price Breakup Required	Yes
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई अनुपालन/MII Compliance

एमआईआई अनुपालन/MII Compliance	Yes
-------------------------------	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. Years of Past Experience required: The bidder must have experience for number of years as indicated above in bid document (ending month of March prior to the bid opening) of providing similar type of services to any Central / State Govt Organization / PSU. Copies of relevant contracts / orders to be uploaded along with bid in support of having provided services during each of the Financial year.
3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band as defined in the relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price. The buyers are advised to refer to the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if the credentials of the service provider are validated on-line in GeM profile as well as validated and approved by the Buyer after evaluation of submitted documents.
4. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band as defined in the relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Experience of Similar Services: The bidder must have successfully executed/completed similar Services over the last three years i.e. the current financial year and the last three financial years(ending month of March prior to the bid opening): -
 1. Three similar completed services costing not less than the amount equal to 40% (forty percent) of the estimated cost; or
 2. Two similar completed services costing not less than the amount equal to 50% (fifty percent) of the estimated cost; or
 3. One similar completed service costing not less than the amount equal to 80% (eighty percent) of the estimated cost.

अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required

Accreditation Documents of the desired labs: Compliance with applicable IS/EN/ANSI standards.
NABL CALIBRATION CERTIFICATE

Must be a licensed/competent agency listed under the Telangana State Factories Department with valid competency certification.

List of instruments along with technical specifications, frequency of calibration and scope of services:[1776685470.pdf](#)

Calibration Services - Mechanical, Electrical, Calibration Of Electrical Wire Rope Hoist, Swift Make, Qty 06, 1 Ton Each, CALIBRATION SERVICE REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS; Functional Test/Load Test / Proof Load / Calibration Of Lifting Mec.. (1)

तकनीकी विशिष्टियाँ / **Technical Specifications**

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Mechanical , Electrical , Calibration of Electrical Wire Rope Hoist, Swift Make, Qty 06, 1 Ton each, CALIBRATION SERVICE REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS
Details of Calibration	Functional Test/Load Test / Proof Load / Calibration of Lifting Mechanism/Calibration & Inspection of Hoisting Equipment
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , NABL CALIBRATION CERTIFICATE
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addon(s)	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/ **Minimum Floor Price defined by Buyer**

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ / **Additional Specification Documents**

प्रेषिती/रिपोर्टिंग अधिकारी / **Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218,AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

Calibration Services - Mechanical, Calibration Of Horizontal AIR RECEIVERS Elgi Make QTY 04 Of 250 Ltrs, CALIBRATION SERVICE REQUIRED ONCE IN 6 MONTHS FOR 2 YEARS; Pressure , Hydrostatic Test And Ultrasonic Thickness Measurement; NABL Labs, Any Other.. (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Mechanical , Calibration of Horizontal AIR RECEIVERS elgi make QTY 04 of 250 Ltrs, CALIBRATION SERVICE REQUIRED ONCE IN 6 MONTHS FOR 2 YEARS
Details of Calibration	Pressure , Hydrostatic Test and Ultrasonic Thickness Measurement
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , NABL CALIBRATION CERTIFICATE
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addon(s)	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218,AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

Calibration Services - Mechanical, Calibration Of Vertical Air Receiver, Elgi Make QTY 01 Of 1000 Ltrs And Qty 01 Of 5000 Ltrs, Qty 01 OF 500 Ltrs CALIBRATION SERVICES REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS; Hydrostatic Test, Ultrasonic Thickness Me.. (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Mechanical , Calibration of Vertical air receiver, elgi make QTY 01 of 1000 Ltrs and Qty 01 of 5000 Ltrs, Qty 01 OF 500 Ltrs CALIBRATION SERVICES REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS
Details of Calibration	Hydrostatic test, Ultrasonic Thickness Measurement, Safety valve test
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , , NABL CALIBRATION CERTIFICATE
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addon(s)	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218, AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

Calibration Services - Mechanical, Electrical, Calibration Of Fall Arrester PP Rope Qty 15 CALIBRATION SERVICE REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS; Functional Test / Load Test / Visual & Dimensional Check; NABL Labs, Any Other Government Approved.. (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Mechanical , Electrical , Calibration of Fall Arrester PP Rope Qty 15 CALIBRATION SERVICE REQUIRED ONCE IN SIX MONTHS FOR 2 YEARS
Details of Calibration	Functional Test / Load Test / Visual & Dimensional Check
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , , NABL CALIBRATION CERTIFICATE
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addons	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218, AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

Calibration Services - Calibration Of Double Lanyard Full Body Harness PPE Qty 17 Protecta Make, CALIBRATION SERVICE REQUIRED ONCE IN 6 MONTHS FOR 2 YEARS; Functional / Static Load / Visual & Dimensional Check; NABL Labs, Any Other Government Approve.. (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Calibration of Double Lanyard full body Harness PPE Qty 17 Protecta Make, CALIBRATION SERVICE REQUIRED ONCE IN 6 MONTHS FOR 2 YEARS
Details of Calibration	Functional / Static Load / Visual & Dimensional Check
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , , NABL CALIBRATION CERTIFICATE
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addons	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परिषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218, AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

**Calibration Services - Calibration Of SAFETY VALVES, CALIBRATION SERVICES
REQUIRED ONCE IN 6 MONTHS FOR A PERIOD OF 2 YEARS; Visual Inspection Of
Belt/Functional Check/Load Testing/Compliance With Applicable IS/EN/ANSI Standards;
NABL Labs, Any Other.. (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Calibration of SAFETY VALVES, CALIBRATION SERVICES REQUIRED ONCE IN 6 MONTHS FOR A PERIOD OF 2 YEARS
Details of Calibration	Visual inspection of belt/Functional check/Load testing/Compliance with applicable IS/EN/ANSI standards
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , , NABL CALIBRATION CERTIFICATES
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addon(s)	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
---	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218,AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

Calibration Services - Mechanical, Calibration Of Air Receivers Hydro Test QTY 06 (Once In Two Years); Visual Inspection/Functional Check/Load Testing/Compliance With Applicable IS/EN/ANSI Standards; NABL Labs, Any Other Government Approved Labs / S.. (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Mechanical , Calibration of Air Receivers Hydro Test QTY 06 (Once in Two Years)
Details of Calibration	Visual inspection/Functional check/Load testing/Compliance with applicable IS/EN/ANSI standards
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , NABL calibration certificate
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addons	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218, AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

**Calibration Services - Mechanical, Calibration Of EOT Crane 7 1/2 Ton Hoist Qty 02
CALIBRATION SERVICE REQUIRED ONCE IN Year; Functional, Mechanical & Load Test
Calibration, Static/Dynamic Load Test; NABL Labs, Any Other Government Approved
Labs / S.. (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Mechanical , Calibration of EOT Crane 7 1/2 Ton Hoist Qty 02 CALIBRATION SERVICE REQUIRED ONCE IN Year
Details of Calibration	Functional, Mechanical & Load Test Calibration, Static/Dynamic Load Test
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , NABL CALIBRATION CERTIFICATE
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addons	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
---	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218, AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

**Calibration Services - Mechanical, Calibration Of EOT Crane 5 Ton Hoist Qty 01
Calibration Service Required Once In Year; Functional, Mechanical & Load Test
Calibration, Static/Dynamic Load Test; NABL Labs, Any Other Government Approved
Labs / Servic.. (1)**

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Type of Calibration required	Mechanical , Calibration of EOT Crane 5 Ton Hoist Qty 01 Calibration service required once in year
Details of Calibration	Functional, Mechanical & Load Test Calibration, Static/Dynamic Load Test
Eligible Calibration Labs	NABL Labs , Any other Government Approved Labs / Service Provider
Calibration location	Buyer premises (onsite)
Timeline for completing the calibration once instrument is handed over by buyer	Depending on the instrument, schedule to be provided in Scope of Work
Reports required	Traceability certificate , Calibration report , NABL calibration certificate
Equipment/instrument of buyer in working condition	Yes
Minor/major repair required as part of calibration	No
If any spares are required	No
एडऑन /Addon(s)	

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
---	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	Quantity	अतिरिक्त आवश्यकता /Additional Requirement
1	Bala Murali Krishna Patakoti	501218,AI Engineering services limited , Shamashabad ,Hydrabad , Telngana Pin Code 5001218	Project / Lumpsum Based	N/A

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The buyer can increase or decrease the contract quantity or contract duration up to 25 percent at the time of issue of the contract. However, once the contract is issued, contract quantity or contract duration can only be increased up to 25 percent. Bidders are bound to accept the revised quantity or duration

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

AI ENGINEERING SERVICES LIMITED
MRO COMPLEX, NEAR GATE 03
RGI AIRPORT
SHAMSHABAD, TELANGANA
5 0 0 1 0 8

3. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 4 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

4. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Buyer Added Bid Specific Scope Of Work(SOW)**

Text Clause(s)

Subject: Invitation for Quotation for NABL Calibration of Equipment

Dear Sir/Madam,

AI Engineering Services Limited (AIESL) invites quotations through GeM from eligible and competent bidders for **NABL Calibration of Equipment** as detailed below.

1. Scope of Work

The bidder shall undertake **NABL-accredited calibration** of the following equipment at site:

S. No	Item Description	Serial Number	Qty	Calibration Frequency	No. of Calibrations (2 Years)
1	Electric Wire Rope Hoist - 1 Ton (Swift Make)	0100313732010, 0100313752010, 0100313712010, 0100313742010, 0100313722010, NA	6	Once in 6 Months	04
2	Horizontal Air Receiver - 250 Ltrs	35232	1	Once in 6 Months	04
3	Horizontal Air Receiver - 250 Ltrs	32790	1	Once in 6 Months	04
4	Vertical Air Receiver - 1000 Ltrs	B11V1460	1	Once in 6 Months	04
5	Vertical Air Receiver - 500 Ltrs	2364-69	1	Once in 6 Months	04
6	Horizontal Air Receiver - 250 Ltrs	35029	1	Once in 6 Months	04
7	Vertical Air Receiver - 5000 Ltrs	A11V0815	1	Once in 6 Months	04
8	Horizontal Air Receiver - 250 Ltrs	A11B11627	1	Once in 6 Months	04
9	Fall Arrester PP Ropes	AIESC/FA/01 to 15	15	Once in 6 Months	04
10	Double Lanyard Full Body Harness - Protecta Make	AIESL/SB/01 to 17	17	Once in 6 Months	04
11	Safety Valve	NA	1	Once in 6 Months	04
12	EOT Crane - 7.5 Ton Hoist	NA	2	Once in 1 Year	02
13	EOT Crane - 5 Ton Hoist	NA	1	Once in 1 Year	02
14	Air Receivers Hydro Test (Once in Two Years)	NA	06	Once in 2 years	01

2. Eligibility Criteria (GeM Compliant)

Bidders must meet the following requirements:

1. Valid **NABL Accreditation Certificate** for relevant calibration scope.
2. Copy of NABL scope must be submitted.
3. Valid **GST Registration** and **PAN**.
4. Bidder must not be blacklisted by any Government/PSU (self-declaration required).
5. **Must be a licensed/competent agency listed under the Telangana State Factories Department with valid competency certification.**

3. Mandatory Documents

The following documents must be uploaded on GeM:

- NABL Accreditation Certificate with scope
- GST Registration Certificate & PAN
- Company Registration Documents
- Self-declaration:
 - No Blacklisting
 - Acceptance of Tender Terms
- Valid Competency Certificate (Telangana Factories Department)

4. Technical Requirements

a) Calibration shall comply with **NABL standards and ISO/IEC 17025**.

b) Calibration certificates must include:

- Measurement uncertainty
- Environmental conditions
- Reference standards

c) In case of out-of-tolerance results, prior approval must be obtained before adjustment.

d) Previous calibration data (to be provided by AIESL) shall be used as reference.

5. Transportation Requirements (GeM Compliant)

a) Prices must include **to-and-fro transportation charges**.

b) Vendor shall ensure safe handling; liability for damage rests with the bidder.

c) Consolidated pickup may be arranged for bulk calibration.

6. Turnaround Time (TAT)

a) Bidder must specify TAT clearly.

b) Any delay must be communicated and approved in advance.

c) Unjustified delays may attract penalties.

7. Pricing Conditions

a) Prices must be **firm, inclusive, and quoted on GeM**.

b) GST must be indicated separately.

c) HSN/SAC code must be mentioned.

d) No extra charges beyond GeM quote will be permitted.

8. Quality Assurance & Compliance

a) Any non-conformance must be rectified **without additional cost**.

b) AIESL reserves the right to reject non-compliant certificates.

c) Re-calibration shall be carried out immediately upon notification.

9. Payment Terms (GFR 2017 & GeM)

a) Payment shall be made through GeM after submission of:

- Calibration Certificate
- Invoice
- Delivery/Completion confirmation

- b) Payment timeline: As per Government norms (generally within 30 days).
- c) No advance payment shall be made unless permitted under GeM rules.

10. General Conditions

- a) AIESL reserves the right to accept/reject bids as per **GFR Rule 173**.
- b) Procurement shall adhere to **CVC guidelines on transparency and ethics**.
- c) Canvassing or influence will lead to disqualification.
- d) Jurisdiction: **Hyderabad**.
- e) GeM General Terms & Conditions shall apply.
- f) Corrective actions and re-calibration (if required) shall be done without extra cost.
- g) Calibration shall be carried out **on-site**.

11. Award of Contract

The contract shall be awarded to the **Lowest Technically Qualified Bidder (L1)** in compliance with **Ge M and GFR provisions**.

12. Bidder's Declaration

The bidder shall submit the following declaration on GeM:

"We hereby certify that we have read and accepted all terms and conditions of this tender and that calibration services shall be carried out strictly as per NABL and ISO/IEC 17025 standards."

13. Place of Work

On-site Calibration Address:

AI Engineering Services Ltd. (AIESL)
MRO Complex, Gate No. 03
RGIA, Shamshabad, Hyderabad - 500108
Telangana
Contact: 9160221608

14. Submission

Bidders are requested to submit their **best quotation on GeM portal** within the stipulated time.

For AI Engineering Services Ltd.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.

6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition

specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---